

The background of the top half of the page is a close-up photograph of water droplets on a blue, slightly textured surface. The droplets are of various sizes and are in sharp focus, reflecting light. The overall color palette is cool, dominated by blues and greens.

IZONIL®

A collection of colorful pigment swatches is arranged in a diamond shape around the central text. The colors include red, blue, yellow, and green. The swatches have a slightly textured, fibrous appearance.

Farbpigmente

colourpigments



Auf den folgenden Seiten zeigen wir Ihnen eine Selektion von Farbtönen in ausgewählten Dosierungen.

Die Darstellung der Farben kann hier nur annäherungsweise der Realität entsprechen, da der Farbeindruck im Endprodukt von vielen anderen Faktoren abhängig ist.

Bitte führen Sie Ihre Versuche eigenständig in Ihrem Medium durch.

The following pages show a variety of colour shades in selected dosages.

The shades illustrated just roughly correspond to reality, because the colour impression of the finished product depends on several additional factors.

Please carry out your own trials in your application.

2% (500g) für 25 kg IZONIL grau
2% (500g) for 25 kg IZONIL grey

4% (1000g) für 25 kg IZONIL grau
4% (1000g) for 25 kg IZONIL grey

2% (500g) für 25 kg IZONIL weiß
2% (500g) for 25 kg IZONIL white

4% (1000g) für 25 kg IZONIL weiß
4% (1000g) for 25 kg IZONIL white


BRAUN BROWN



Braun 600 NG
Brown 600 NG



Braun 610 NG
Brown 610 NG



Braun 615
Brown 615



Braun 630
Brown 630



Braun 655 NG
Brown 655 NG



Braun 663
Brown 663



Braun 686
Brown 686



2% (500g) für 25 kg IZONIL grau
2% (500g) for 25 kg IZONIL grey

4% (1000g) für 25 kg IZONIL grau
4% (1000g) for 25 kg IZONIL grey

2% (500g) für 25 kg IZONIL weiß
2% (500g) for 25 kg IZONIL white

4% (1000g) für 25 kg IZONIL weiß
4% (1000g) for 25 kg IZONIL white

ROT RED



Rot 503
Red 503



Rot 110
Red 110




Rot 130
Red 130



Rot 180
Red 180



Rot 222
Red 222



SONDERFARBEN SPECIAL COLOURS



Lichtblau G 2727
Light Blue G 2727






Lichtblau G 2828
Light Blue G 2828



Green GN
Green GN



Titan
Titanium



2% (500g) für 25 kg IZONIL grau
2% (500g) for 25 kg IZONIL grey

4% (1000g) für 25 kg IZONIL grau
4% (1000g) for 25 kg IZONIL grey


2% (500g) für 25 kg IZONIL weiß
2% (500g) for 25 kg IZONIL white

4% (1000g) für 25 kg IZONIL weiß
4% (1000g) for 25 kg IZONIL white

SCHWARZ BLACK






Schwarz 330
Black 330



Schwarz 340
Black 340




Schwarz 360
Black 360



SCHWARZ BLACK**



Grapa Nero 8020
Grapa Nero 8020




Carbon HS 270
Carbon HS 270



Carbon G 2734
Carbon G 2734










Grapacarb 70
Grapacarb 70



Grapacarb 30
Grapacarb 30



Zementschwarz HS 25235
Cementblack HS 25235



2% (500g) für 25 kg IZONIL grau
2% (500g) for 25 kg IZONIL grey

4% (1000g) für 25 kg IZONIL grau
4% (1000g) for 25 kg IZONIL grey

2% (500g) für 25 kg IZONIL weiß
2% (500g) for 25 kg IZONIL white

4% (1000g) für 25 kg IZONIL weiß
4% (1000g) for 25 kg IZONIL white

GELB YELLOW





Gelb 415
Yellow 415




Gelb 420
Yellow 420




Gelb 920
Yellow 920



Gelb 920/1
Yellow 920/1



Gelb 920/3 G
Yellow 920/3 G



Gelb 955 G
Yellow 955 G



Gelb 960
Yellow 960



Gelb 965/1 G
Yellow 965/1 G



ANWENDUNGSGEBIETE FIELDS OF APPLICATION



QUALITÄTSSICHERUNG

- Hochwertige Produktqualität durch enge Toleranzen und strengste Prüfungen
- Zertifizierung nach EN 12878
- Zertifizierung nach DIN ISO 9001
- 100% wetter- und lichtstabil

QUALITY ASSURANCE

- High product quality through tight tolerances and stringent testing
- Certified according to EN 12878
- Certified according to DIN ISO 9001
- 100% weather- and lightstable



Deutschland GmbH
Postfach 01
D-95686 Fichtelberg
Tel.: +49 (0) 9272 / 275 3288
Fax: +49 (0) 9272 / 275 3289
Mobil: +49 (0) 172 / 633 77 44
Mail: info@izonil.de
Web: www.izonil.de